

Newlec®

# Decorative Wiring Accessories



REXEL

a world of energy

# Decorative Wiring Accessories - Raised Edged Screwed

A modern sleek and stylish design with softly rounded corners which will compliment any interior décor - suitable for domestic or commercial applications. There are three finishes available including, Brushed Steel, Polished Chrome and Black Nickel.



## Reasons to choose Newlec Decorative Raised Edged Screwed wiring accessories.

- Double pole switched sockets for added safety.
- Single and double sockets with two earth terminals for high integrity applications.
- Double 13A socket outlets with twin USB chargers - 3.1A total charging output, 5V.
- Colour matching rockers and fixing screws across the range.
- Colour coded terminals with backed out captive screws for easy installation.
- Fixed integrated plastic gasket to protect metal edges from moisture.
- 10AX rated light switches and 10A 3 pole fan isolator switches.
- Push on - push off, rotary dimmers with tungsten, LED and CFL dimming capability.
- 20A and 45A double pole power control switches with flush neon indicators.
- Fused connection units are available with neon indicators and flex outlets.

**BS**



**Brushed Steel**

**PC**



**Polished Chrome**

**BN**



**Black Nickel**

*To order the correct colour refer to code that contains;*

**BS for Brushed Steel**

**PC for Polished Chrome**

**BN for Black Nickel**

## Socket Outlets Double Pole



NLRE8900/2BS

- Double pole.
- Angled in-line colour coded captive terminals.
- Two earth terminals.
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 2 x 4.0mm<sup>2</sup> or 1 x 6.0mm<sup>2</sup>.

- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS 1363 part 4.

**25 YR**



NLRE8900/1PC



NLRE8900/1BN

Order Code	Model No.	Description	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932764	NLRE8900/1BS	1 Gang	Brushed Steel	Grey	25	£14.40
2500932765	NLRE8900/2BS	2 Gang	Brushed Steel	Grey	25	£19.53
2500932793	NLRE8900/1PC	1 Gang	Polished Chrome	White	25	£14.40
2500932794	NLRE8900/2PC	2 Gang	Polished Chrome	White	25	£19.53
2500932735	NLRE8900/1BN	1 Gang	Black Nickel	Black	25	£14.40
2500932736	NLRE8900/2BN	2 Gang	Black Nickel	Black	25	£19.53

## Socket Outlets with USB Chargers

- Ideal for charging iPad, iPhone, tablets, mobiles & cameras.
- 1 Gang: 2 x type A USB sockets - 2.1A total output, 5V.
- 2 Gang: 2 x type A USB sockets - 3.1A total output, 5V.
- Smart USB - automatically detects power demand and adjusts charge pattern to suit.
- Standby mode when not in use. Overload protection for connected devices.
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 3 x 4.0mm<sup>2</sup> or 2 x 6.0mm<sup>2</sup>.
- Two earth terminals.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS 5733, BS EN 60950.

10 YR

Order Code	Model No.	Description	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932788	NLRE8900/S2USBBBS	1 Gang	Brushed Steel	Grey	25	£46.74
2500932766	NLRE8900/S2USBBBS	2 Gang	Brushed Steel	Grey	25	£46.49
2500932817	NLRE8900/S2USBPC	1 Gang	Polished Chrome	White	25	£46.74
2500932795	NLRE8900/S2USBPC	2 Gang	Polished Chrome	White	25	£46.49
2500932759	NLRE8900/S2USBBN	1 Gang	Black Nickel	Black	25	£46.74
2500932737	NLRE8900/S2USBBN	2 Gang	Black Nickel	Black	25	£46.49



NLRE8900/S2USBBBS



NLRE8900/S2USBPC



NLRE8900/S2USBBN

## Socket Outlets 5 Amp Round Pin

- A socket used for plug in lighting.
- Angled in-line colour coded captive terminals.
- Terminal capacity 4 x 1.0mm<sup>2</sup>, 3 x 1.5mm<sup>2</sup>, 1 x 2.5mm<sup>2</sup> or 1 x 4.0mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS 546.



NLRE8901/1USBS



NLRE8901/1USPC



NLRE8901/1USBN

25 YR

Order Code	Model No.	Description	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932787	NLRE8901/1USBS	1 Gang Unswitched	Brushed Steel	Grey	25	£40.83
2500932816	NLRE8901/1USPC	1 Gang Unswitched	Polished Chrome	White	25	£40.83
2500932758	NLRE8901/1USBN	1 Gang Unswitched	Black Nickel	Black	25	£40.83

## Plate Switches

- 10 Amp, 10AX inductive rated.
- Angled captive terminals.
- Intermediate switch allows for more than 2 switches in a circuit.
- No visible plastic around switches.
- Terminal capacity 4 x 1.0mm<sup>2</sup>, 4 x 1.5mm<sup>2</sup>, 2 x 2.5mm<sup>2</sup> or 1 x 4.0mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS EN 60669-1.

CE 25 YR

Order Code	Model No.	Description	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932760	NLRE8910/12BS	1 Gang 2 Way	Brushed Steel	16	£11.25
2500932789	NLRE8910/12PC	1 Gang 2 Way	Polished Chrome	16	£11.25
2500932731	NLRE8910/12BN	1 Gang 2 Way	Black Nickel	16	£11.25
2500932762	NLRE8910/22BS	2 Gang 2 Way	Brushed Steel	16	£14.55
2500932791	NLRE8910/22PC	2 Gang 2 Way	Polished Chrome	16	£14.55
2500932733	NLRE8910/22BN	2 Gang 2 Way	Black Nickel	16	£14.55
2500932763	NLRE8910/32BS	3 Gang 2 Way	Brushed Steel	25	£19.23
2500932792	NLRE8910/32PC	3 Gang 2 Way	Polished Chrome	25	£19.23
2500932734	NLRE8910/32BN	3 Gang 2 Way	Black Nickel	25	£19.23
2500932761	NLRE8910/INTBS	Intermediate	Brushed Steel	16	£17.31
2500932790	NLRE8910/INTPC	Intermediate	Polished Chrome	16	£17.31
2500932732	NLRE8910/INTBN	Intermediate	Black Nickel	16	£17.31



NLRE8910/32BS



NLRE8910/22PC



NLRE8910/12BN

Available to Order



# Decorative Wiring Accessories - Raised Edged Screwed

## 10A Triple Pole Fan Isolator



NLRE89FANBS



NLRE89FANPC



NLRE89FANBN

- Used for controlling extractor fans.
- 10 Amp, 3 pole.
- Angled captive terminals.
- No visible plastic around switches.

- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to IEC 60669-2-4.

CE 25 YR

Order Code	Model No.	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932786	NLRE89FANBS	Brushed Steel	16	£26.08
2500932815	NLRE89FANPC	Polished Chrome	16	£26.08
2500932757	NLRE89FANBN	Black Nickel	16	£26.08

## Dimmer Switches - Push On/Off



NLRE8905/42BS



NLRE8905/22PC



NLRE8905/12BN

- Ideal for mood setting and energy saving.
- Able to dim a range of different lamp types - see lamp types and load ratings in table below.
- LED and CFL dimming compatible. Features adjustable minimum level to adjust low level output & stabilise load.

- LED Dimming load - 5-50W.
- Terminal capacity 3 x 1.0mm<sup>2</sup>, 2 x 1.5mm<sup>2</sup> or 1 x 2.5mm<sup>2</sup>.
- Brushed Steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS EN 60669-2-1.

CE 25 YR

Order Code	Model No.	Description	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932774	NLRE8905/12BS	1 Gang 2 Way	Brushed Steel	25	£29.68
2500932803	NLRE8905/12PC	1 Gang 2 Way	Polished Chrome	25	£29.68
2500932745	NLRE8905/12BN	1 Gang 2 Way	Black Nickel	25	£29.68
2500932775	NLRE8905/22BS	2 Gang 2 Way	Brushed Steel	25	£49.70
2500932804	NLRE8905/22PC	2 Gang 2 Way	Polished Chrome	25	£49.70
2500932746	NLRE8905/22BN	2 Gang 2 Way	Black Nickel	25	£49.70
2500932777	NLRE8905/32BS	3 Gang 2 Way	Brushed Steel	25	£84.80
2500932806	NLRE8905/32PC	3 Gang 2 Way	Polished Chrome	25	£84.80
2500932748	NLRE8905/32BN	3 Gang 2 Way	Black Nickel	25	£84.80
2500932778	NLRE8905/42BS	4 Gang 2 Way	Brushed Steel	25	£106.30
2500932807	NLRE8905/42PC	4 Gang 2 Way	Polished Chrome	25	£106.30
2500932749	NLRE8905/42BN	4 Gang 2 Way	Black Nickel	25	£106.30

Load Ratings	Min	Max
Tungsten Lamp	60W	400W
Halogen Lamp (Mains Voltage)	50W	400W
Halogen Lamp (Low Voltage, 12V)	35W	350W
Dimmable LED	5W	50W
Dimmable Compact Fluorescent (CFL)	10W	100W

## Fused Connection Units



NLRE8913/SNFBBS



NLRE8913/SPC



NLRE8913/UBN

- All switched connection units are double pole.
- Available with neon indicators and flex outlets.
- Angled colour coded captive terminals.
- Two earth terminals.

- Terminal capacity 3 x 2.5mm<sup>2</sup>, 2 x 4.0mm<sup>2</sup> or 1 x 6.0mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS 1363 part 4.

25 YR

Order Code	Model No.	Description	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932767	NLRE8913/SBS	13A Switched	Brushed Steel	35	£18.79
2500932796	NLRE8913/SPC	13A Switched	Polished Chrome	35	£18.79
2500932738	NLRE8913/SBN	13A Switched	Black Nickel	35	£18.79
2500932782	NLRE8913/SNBS	13A Switched + Neon	Brushed Steel	35	£32.69
2500932811	NLRE8913/SNPC	13A Switched + Neon	Polished Chrome	35	£32.69
2500932753	NLRE8913/SNBN	13A Switched + Neon	Black Nickel	35	£32.69
2500932783	NLRE8913/SNFBBS	13A Switched + Neon + Flex outlet	Brushed Steel	35	£39.25
2500932812	NLRE8913/SNFBPC	13A Switched + Neon + Flex outlet	Polished Chrome	35	£39.25
2500932754	NLRE8913/SNFBBN	13A Switched + Neon + Flex outlet	Black Nickel	35	£39.25
2500932781	NLRE8913/UBS	13A Unswitched FCU	Brushed Steel	35	£17.90
2500932810	NLRE8913/UPC	13A Unswitched FCU	Polished Chrome	35	£17.90
2500932752	NLRE8913/UBN	13A Unswitched FCU	Black Nickel	35	£17.90
2500932784	NLRE8913/FBS	13A Unswitched FCU + Flex outlet	Brushed Steel	35	£20.96
2500932813	NLRE8913/FPC	13A Unswitched FCU + Flex outlet	Polished Chrome	35	£20.96
2500932755	NLRE8913/FBN	13A Unswitched FCU + Flex outlet	Black Nickel	35	£20.96

## Double Pole Switches 20 Amp with Indicator

- Integrated power indicator light to show when switched on.
- Angled colour coded captive terminals.
- Two earth terminals.
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 2 x 4.0mm<sup>2</sup> or 1 x 6.0mm<sup>2</sup>.
- No visible plastic around switches.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS EN 60669-1.



NLRE8920/SNBS



NLRE8920/SNPC



NLRE8920/SNBN

CE 25 YR

Order Code	Model No.	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932768	NLRE8920/SNBS	Brushed Steel	25	£24.21
2500932797	NLRE8920/SNPC	Polished Chrome	25	£24.21
2500932739	NLRE8920/SNBN	Black Nickel	25	£24.21

## Double Pole Switches 45 Amp

- Single and double plate cooker control units plus double unit with additional 13A switched socket.
- Integrated LED power indicator lights to show when cooker and socket is switched on.
- Two earth terminals.
- Live & neutral terminal capacity 4 x 4.0mm<sup>2</sup>, 3 x 6.0mm<sup>2</sup> or 1 x 16.0mm<sup>2</sup>.
- Earth terminal capacity 3 x 4.0mm<sup>2</sup>, 2 x 6.0mm<sup>2</sup> or 1 x 16.0mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS4177 & BS EN 60669-1.
- Single and double plate cooker units CE marked.



NLRE8945/2NSBS



NLRE8945/2NPC



NLRE8945/1NBN

CE 25 YR

Order Code	Model No.	Description	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932769	NLRE8945/2NSBS	Double Plate with Socket Outlet & Neon	Brushed Steel	Grey	47	£46.49
2500932798	NLRE8945/2NSPC	Double Plate with Socket Outlet & Neon	Polished Chrome	White	47	£46.49
2500932740	NLRE8945/2NSBN	Double Plate with Socket Outlet & Neon	Black Nickel	Black	47	£46.49
2500932785	NLRE8945/2NBS	Double Pole Switch + Neon Double Plate	Brushed Steel	-	47	£27.96
2500932814	NLRE8945/2NPC	Double Pole Switch + Neon Double Plate	Polished Chrome	-	47	£27.96
2500932756	NLRE8945/2NBN	Double Pole Switch + Neon Double Plate	Black Nickel	-	47	£27.96
2500932770	NLRE8945/1NBS	Single Plate with Neon	Brushed Steel	-	47	£28.94
2500932799	NLRE8945/1NPC	Single Plate with Neon	Polished Chrome	-	47	£28.94
2500932741	NLRE8945/1NBN	Single Plate with Neon	Black Nickel	-	47	£28.94

## Telephone Outlets

- Master socket used for the first telephone socket into the home.
- Slave socket used for secondary extension telephone sockets.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS6132-2-2.2:1997.



NLRE8975/MASBS



NLRE8975/MASPC



NLRE8975/SECBN

25 YR

Order Code	Model No.	Description	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932772	NLRE8975/MASBS	Master	Brushed Steel	25	£24.51
2500932801	NLRE8975/MASPC	Master	Polished Chrome	25	£24.51
2500932743	NLRE8975/MASBN	Master	Black Nickel	25	£24.51
2500932773	NLRE8975/SECBS	Secondary	Brushed Steel	25	£21.70
2500932802	NLRE8975/SECPC	Secondary	Polished Chrome	25	£21.70
2500932744	NLRE8975/SECBN	Secondary	Black Nickel	25	£21.70

Available to Order

# Decorative Wiring Accessories - Raised Edged Screwed

## TV/FM Co Axial Socket



NLRE8970/1BS



NLRE8970/1PC



NLRE8970/1BN

- Used for a single TV or FM coaxial aerial connection.
- Female socket type.
- Manufactured to BS3041 & BS 5733.

25 YR

Order Code	Model No.	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932771	NLRE8970/1BS	Brushed Steel	25	£14.15
2500932800	NLRE8970/1PC	Polished Chrome	25	£14.15
2500932742	NLRE8970/1BN	Black Nickel	25	£14.15

## Shaver Socket



NLRE8965BS



NLRE8965PC



NLRE8965BN

- Ideal for powering and charging electric shavers and toothbrushes.
- Dual Voltage 115/ 230V.
- Terminal capacity 3 x 2.5mm<sup>2</sup> or 2 x 4.0mm<sup>2</sup>.
- Maximum output 20VA, maximum load 173mA.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS EN 61558 & BS4573.

CE 25 YR

Order Code	Model No.	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932776	NLRE8965BS	Brushed Steel	Grey	47	£61.14
2500932805	NLRE8965PC	Polished Chrome	White	47	£61.14
2500932747	NLRE8965BN	Black Nickel	Black	47	£61.14

## Blank Plates



NLRE8980/2BS



NLRE8980/1PC



NLRE8980/1BN

- Suitable for blanking unused wiring connections.
- Fitted with earth terminal.
- Brushed steel - lightly lacquered surface to reduce fingerprints.

25 YR

Order Code	Model No.	Description	Finish	Price - Each 1 off
2500932779	NLRE8980/1BS	1 Gang	Brushed Steel	£8.88
2500932808	NLRE8980/1PC	1 Gang	Polished Chrome	£8.88
2500932750	NLRE8980/1BN	1 Gang	Black Nickel	£8.88
2500932780	NLRE8980/2BS	2 Gang	Brushed Steel	£13.02
2500932809	NLRE8980/2PC	2 Gang	Polished Chrome	£13.02
2500932751	NLRE8980/2BN	2 Gang	Black Nickel	£13.02

Available to Order

# Decorative Wiring Accessories - Flat Plate Screwless

The screwless sleek profile with clip on/off front plates in three high quality finishes will blend with any décor - suitable for domestic or commercial applications. There are three finishes available including, Brushed Steel, Polished Chrome and Black Nickel.



## Reasons to choose Newlec Flat Plate Screwless wiring accessories

- Flat profile (under 5mm thick) with rounded edges.
- Secure easy clip on/off front plate design.
- Double pole switched sockets for added safety.
- Single and double sockets with two earth terminals for high integrity applications.
- Double 13A socket outlets with twin USB chargers - 3.1A total charging output, 5V.
- Colour matching rockers and fixing screws across the range.
- Colour coded terminals with backed out captive screws for easy installation.
- Fixed integrated plastic gasket to protect metal edges from moisture.
- 10AX rated light switches and 10A 3 pole fan isolator switches.
- Push on - push off, rotary dimmers with tungsten, LED and CFL dimming capability.
- 20A and 45A double pole power control switches with flush neon indicators.
- Fused connection units are available with neon indicators and flex outlets.

**BS**  
  
**Brushed Steel**

**PC**  
  
**Polished Chrome**

**BN**  
  
**Black Nickel**

*To order the correct colour refer to code that contains;*

**BS** for **Brushed Steel**

**PC** for **Polished Chrome**

**BN** for **Black Nickel**

## Socket Outlets Double Pole

- Double Pole.
- Angled in-line colour coded captive terminals.
- Two earth terminals.
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 2 x 4.0mm<sup>2</sup> or 1 x 6.0mm<sup>2</sup>.
- Brushed Steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS 1363 part 4.



NLFP8900/2BS



NLFP8900/1PC



NLFP8900/1BN

## 25 YR

Order Code	Model No.	Description	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932851	NLFP8900/1BS	1 Gang	Brushed Steel	Grey	25	£27.17
2500932852	NLFP8900/2BS	2 Gang	Brushed Steel	Grey	25	£32.40
2500932880	NLFP8900/1PC	1 Gang	Polished Chrome	White	25	£27.17
2500932881	NLFP8900/2PC	2 Gang	Polished Chrome	White	25	£32.40
2500932822	NLFP8900/1BN	1 Gang	Black Nickel	Black	25	£27.17
2500932823	NLFP8900/2BN	2 Gang	Black Nickel	Black	25	£32.40



# Decorative Wiring Accessories - Flat Plate Screwless

## Socket Outlets with USB Chargers



NLFP8900/S2USBBS



NLFP8900/S1USBPC



NLFP8900/S2USBBN

- Ideal for charging iPad, iPhone, tablets, mobiles & cameras.
- 1 Gang: 2 x type A USB sockets - 2.1A total output, 5V.
- 2 Gang: 2 x type A USB sockets - 3.1A total output, 5V.
- Smart USB - automatically detects power demand and adjusts charge pattern to suit.
- Standby mode when not in use. Overload protection for connected devices.
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 3 x 4.0mm<sup>2</sup> or 2 x 6.0mm<sup>2</sup>.
- Two earth terminals.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS 5733, BS EN 60950.

10 YR

Order Code	Model No.	Description	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932875	NLFP8900/S1USBBS	1 Gang	Brushed Steel	Grey	25	£52.26
2500932853	NLFP8900/S2USBBS	2 Gang	Brushed Steel	Grey	25	£52.02
2500932904	NLFP8900/S1USBPC	1 Gang	Polished Chrome	White	25	£52.26
2500932882	NLFP8900/S2USBPC	2 Gang	Polished Chrome	White	25	£52.02
2500932846	NLFP8900/S1USBBN	1 Gang	Black Nickel	Black	25	£52.26
2500932824	NLFP8900/S2USBBN	2 Gang	Black Nickel	Black	25	£52.02

## Socket Outlets 5 Amp Round Pin



NLFP8901/1USBS



NLFP8901/1USPC



NLFP8901/1USBN

- A socket used for plug in lighting.
- Angled in-line colour coded captive terminals.
- Terminal capacity 4 x 1.0mm<sup>2</sup>, 3 x 1.5mm<sup>2</sup>, 1 x 2.5mm<sup>2</sup> or 1 x 4.0mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS 546.

25 YR

Order Code	Model No.	Description	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932874	NLFP8901/1USBS	1 Gang Unswitched	Brushed Steel	Grey	25	£23.82
2500932903	NLFP8901/1USPC	1 Gang Unswitched	Polished Chrome	White	25	£23.82
2500932845	NLFP8901/1USBN	1 Gang Unswitched	Black Nickel	Black	25	£23.82

## Plate Switches



NLFP8910/32BS



NLFP8910/22PC



NLFP8910/12BN

- 10 Amp, 10AX inductive rated.
- Intermediate switch allows for more than 2 switches in a circuit.
- No visible plastic around switches.
- Terminal capacity 4 x 1.0mm<sup>2</sup>, 4 x 1.5mm<sup>2</sup>, 2 x 2.5mm<sup>2</sup> or 1 x 4.0mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS EN 60669-1.

CE 25 YR

Order Code	Model No.	Description	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932847	NLFP8910/12BS	1 Gang 2 Way	Brushed Steel	16	£18.64
2500932876	NLFP8910/12PC	1 Gang 2 Way	Polished Chrome	16	£18.64
2500932818	NLFP8910/12BN	1 Gang 2 Way	Black Nickel	16	£18.64
2500932849	NLFP8910/22BS	2 Gang 2 Way	Brushed Steel	16	£22.98
2500932878	NLFP8910/22PC	2 Gang 2 Way	Polished Chrome	16	£22.98
2500932820	NLFP8910/22BN	2 Gang 2 Way	Black Nickel	16	£22.98
2500932850	NLFP8910/32BS	3 Gang 2 Way	Brushed Steel	25	£32.79
2500932879	NLFP8910/32PC	3 Gang 2 Way	Polished Chrome	25	£32.79
2500932821	NLFP8910/32BN	3 Gang 2 Way	Black Nickel	25	£32.79
2500932848	NLFP8910INTBS	Intermediate	Brushed Steel	16	£26.48
2500932877	NLFP8910INTPC	Intermediate	Polished Chrome	16	£26.48
2500932819	NLFP8910INTBN	Intermediate	Black Nickel	16	£26.48

Available to Order



## 10A Triple Pole Fan Isolator

- Used for controlling extractor fans.
- 10 Amp, 3 pole.
- Angled captive terminals.
- No visible plastic around switches.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to IEC 60669-2-4.

CE 25 YR

Order Code	Model No.	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932873	NLFP89FANBS	Brushed Steel	16	£35.06
2500932902	NLFP89FANPC	Polished Chrome	16	£35.06
2500932844	NLFP89FANBN	Black Nickel	16	£35.06



NLFP89FANBS



NLFP89FANPC



NLFP89FANBN

## Dimmer Switches - Push On/Off

- Ideal for mood setting and energy saving.
- Able to dim a range of different lamp types - see lamp types and load ratings in table below.
- LED and CFL dimming compatible. Features adjustable minimum level to adjust low level output & stabilise load.
- LED Dimming load - 5-50W.
- Terminal capacity 3 x 1.0mm<sup>2</sup>, 2 x 1.5mm<sup>2</sup> or 1 x 2.5mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS EN 60669-2-1.

CE 25 YR

Order Code	Model No.	Description	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932861	NLFP8905/12BS	1 Gang 2 Way	Brushed Steel	25	£50.44
2500932890	NLFP8905/12PC	1 Gang 2 Way	Polished Chrome	25	£50.44
2500932832	NLFP8905/12BN	1 Gang 2 Way	Black Nickel	25	£50.44
2500932862	NLFP8905/22BS	2 Gang 2 Way	Brushed Steel	25	£64.09
2500932891	NLFP8905/22PC	2 Gang 2 Way	Polished Chrome	25	£64.09
2500932833	NLFP8905/22BN	2 Gang 2 Way	Black Nickel	25	£64.09
2500932864	NLFP8905/32BS	3 Gang 2 Way	Brushed Steel	25	£99.05
2500932893	NLFP8905/32PC	3 Gang 2 Way	Polished Chrome	25	£99.05
2500932835	NLFP8905/32BN	3 Gang 2 Way	Black Nickel	25	£99.05
2500932865	NLFP8905/42BS	4 Gang 2 Way	Brushed Steel	25	£137.60
2500932894	NLFP8905/42PC	4 Gang 2 Way	Polished Chrome	25	£137.60
2500932836	NLFP8905/42BN	4 Gang 2 Way	Black Nickel	25	£137.60



NLFP8905/42BS



NLFP8905/22PC



NLFP8905/12BN

Load Ratings	Min	Max
Tungsten Lamp	60W	400W
Halogen Lamp (Mains Voltage)	50W	400W
Halogen Lamp (Low Voltage, 12V)	35W	350W
Dimmable LED	5W	50W
Dimmable Compact Fluorescent (CFL)	10W	100W

## Fused Connection Units

- All switched connection units are double pole.
- With neon indicators and flex outlets.
- Angled colour coded captive terminals.
- Two earth terminals.
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 2 x 4.0mm<sup>2</sup> or 1 x 6.0mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS 1363 part 4.

25 YR

Order Code	Model No.	Description	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932854	NLFP8913/SBS	13A Switched	Brushed Steel	35	£31.21
2500932883	NLFP8913/SPC	13A Switched	Polished Chrome	35	£31.21
2500932825	NLFP8913/SBN	13A Switched	Black Nickel	35	£31.21
2500932869	NLFP8913/SNBS	13A Switched + Neon	Brushed Steel	35	£57.78
2500932898	NLFP8913/SNPC	13A Switched + Neon	Polished Chrome	35	£57.78
2500932840	NLFP8913/SBNB	13A Switched + Neon	Black Nickel	35	£57.78
2500932870	NLFP8913/SNFBBS	13A Switched + Neon + Flex Outlet	Brushed Steel	35	£58.87
2500932899	NLFP8913/SNFBPC	13A Switched + Neon + Flex Outlet	Polished Chrome	35	£58.87
2500932841	NLFP8913/SNFBNB	13A Switched + Neon + Flex Outlet	Black Nickel	35	£58.87
2500932868	NLFP8913/UBS	13A Unswitched FCU	Brushed Steel	35	£43.49
2500932897	NLFP8913/UPC	13A Unswitched FCU	Polished Chrome	35	£43.49
2500932839	NLFP8913/UBNB	13A Unswitched FCU	Black Nickel	35	£43.49
2500932871	NLFP8913/FBS	13A Unswitched FCU + Flex Outlet	Brushed Steel	35	£33.38
2500932900	NLFP8913/FPC	13A Unswitched FCU + Flex Outlet	Polished Chrome	35	£33.38
2500932842	NLFP8913/FBN	13A Unswitched FCU + Flex Outlet	Black Nickel	35	£33.38



NLFP8913/SNFBBS



NLFP8913/SPC



NLFP8913/UBNB

# Decorative Wiring Accessories - Flat Plate Screwless

## Double Pole Switches 20 Amp with Indicator



NLFP8920/SNBS



NLFP8920/SNPC



NLFP8920/SNBN

- Integrated power indicator light to show when switched on.
- Angled colour coded captive terminals.
- Two earth terminals.
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 2 x 4.0mm<sup>2</sup> or 1 x 6.0mm<sup>2</sup>.

- No visible plastic around switches.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS EN 60669-1.

CE 25 YR

Order Code	Model No.	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932855	NLFP8920/SNBS	Brushed Steel	25	£30.13
2500932884	NLFP8920/SNPC	Polished Chrome	25	£30.13
2500932826	NLFP8920/SNBN	Black Nickel	25	£30.13

## Double Pole Switches 45 Amp



NLFP8945/2NSBS



NLFP8945/2NPC



NLFP8945/2NBN

- Single and Double plate cooker control units plus double unit with additional 13A switched socket.
- Integrated LED power indicator lights to show when cooker and socket is switched on.
- Two earth terminals.
- Live & neutral terminal capacity 4 x 4.0mm<sup>2</sup>, 3 x 6.0mm<sup>2</sup> or 1 x 16.0mm<sup>2</sup>.

- Earth terminal capacity 3 x 4.0mm<sup>2</sup>, 2 x 6.0mm<sup>2</sup> or 1 x 16.0mm<sup>2</sup>.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS4177 & BS EN 60669-1.
- Single and double plate cooker units CE marked.

CE 25 YR

Order Code	Model No.	Description	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932856	NLFP8945/2NSBS	Double Plate with Socket Outlet & Neon	Brushed Steel	Grey	47	£55.66
2500932885	NLFP8945/2NSPC	Double Plate with Socket Outlet & Neon	Polished Chrome	White	47	£55.66
2500932827	NLFP8945/2NSBN	Double Plate with Socket Outlet & Neon	Black Nickel	Black	47	£55.66
2500932872	NLFP8945/2NBS	Double Pole Switch + Neon Double Plate	Brushed Steel	-	47	£52.26
2500932901	NLFP8945/2NPC	Double Pole Switch + Neon Double Plate	Polished Chrome	-	47	£52.26
2500932843	NLFP8945/2NBN	Double Pole Switch + Neon Double Plate	Black Nickel	-	47	£52.26
2500932857	NLFP8945/1NBS	Single Plate with Neon	Brushed Steel	-	47	£39.89
2500932886	NLFP8945/1NPC	Single Plate with Neon	Polished Chrome	-	47	£39.89
2500932828	NLFP8945/1NBN	Single Plate with Neon	Black Nickel	-	47	£39.89

## Telephone Outlets



NLFP8975/MASBS



NLFP8975/MASPC



NLFP8975/SECBN

- Master socket used for the first telephone socket into the home.
- Slave socket used for secondary extension telephone sockets.

- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS6132-2-2.2:1997.

25 YR

Order Code	Model No.	Description	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932859	NLFP8975/MASBS	Master	Brushed Steel	25	£34.47
2500932888	NLFP8975/MASPC	Master	Polished Chrome	25	£34.47
2500932830	NLFP8975/MASBN	Master	Black Nickel	25	£34.47
2500932860	NLFP8975/SECBS	Secondary	Brushed Steel	25	£30.13
2500932889	NLFP8975/SECPC	Secondary	Polished Chrome	25	£30.13
2500932831	NLFP8975/SECBN	Secondary	Black Nickel	25	£30.13

Available to Order

## TV/FM Co Axial Socket

- Used for a single TV or FM coaxial aerial connection.
- Female socket type.
- Manufactured to BS 3041 & BS 5733.



NLFP8970/1BS



NLFP8970/1PC



NLFP8970/1BN

25 YR

Order Code	Model No.	Finish	Min Box Depth (mm)	Price - Each 1 off
2500932858	NLFP8970/1BS	Brushed Steel	25	£21.70
2500932887	NLFP8970/1PC	Polished Chrome	25	£21.70
2500932829	NLFP8970/1BN	Black Nickel	25	£21.70

## Shaver Socket

- Ideal for powering and charging electric shavers and toothbrushes.
- Dual Voltage 115V/ 230V.
- Terminal capacity 3 x 2.5mm<sup>2</sup> or 2 x 4.0mm<sup>2</sup>.
- Maximum output 20VA, maximum load 173mA.
- Brushed steel - lightly lacquered surface to reduce fingerprints.
- Manufactured to BS EN 61558 & BS 4573.



NLFP8965BS



NLFP8965PC



NLFP8965BN

CE 25 YR

Order Code	Model No.	Finish	Insert Colour	Min Box Depth (mm)	Price - Each 1 off
2500932863	NLFP8965BS	Brushed Steel	Grey	47	£62.22
2500932892	NLFP8965PC	Polished Chrome	White	47	£62.22
2500932834	NLFP8965BN	Black Nickel	Black	47	£62.22

## Blank Plates

- Suitable for blanking unused wiring connections.
- Fitted with earth terminal.
- Brushed steel - lightly lacquered surface to reduce fingerprints.



NLFP8980/2BS



NLFP8980/1PC




NLFP8980/1BN

25 YR

Order Code	Model No.	Description	Finish	Price - Each 1 off
2500932866	NLFP8980/1BS	1 Gang	Brushed Steel	£24.51
2500932895	NLFP8980/1PC	1 Gang	Polished Chrome	£24.51
2500932837	NLFP8980/1BN	1 Gang	Black Nickel	£24.51
2500932867	NLFP8980/2BS	2 Gang	Brushed Steel	£22.29
2500932896	NLFP8980/2PC	2 Gang	Polished Chrome	£22.29
2500932838	NLFP8980/2BN	2 Gang	Black Nickel	£22.29

# Newlec®

Rexel UK  
Eagle Court 2,  
Hatchford Brook,  
Hatchford Way,  
Sheldon,  
Birmingham,  
B26 3RZ  
[www.rexel.co.uk](http://www.rexel.co.uk)

 0800 783 6909

To find your nearest branch go to:  
[www.rexel.co.uk/branchlocator](http://www.rexel.co.uk/branchlocator)