

Product Specification Sheet

Strip 12V IP33 5m x 8mm 3000K 6W/m CRI80

Partcode: ILSTWHIA003E / Page: 1



This warm white LED strip has 60pcs of SMD 35:28 LEDs per metre and is constructed using high quality materials to ensure a consistent light and colour across the strip. This LED strip is IP33 rated and is suitable for indoor applications. Each 5m reel is supplied with an easy-to-follow installation guide and an extra connector to power the strip if it is cut into two lengths. Additional accessories are available to purchase. A suitable constant voltage driver is required, depending on the total power requirement of the connected strip(s).

Product Details

Partcode: ILSTWHIA003E

Check Code: 293605 Range Name: Acapella

Placement / Application: Decorative indoor

Market Segment: Commercial indoor, Residential indoor

Product Type: Flexible

Warranty: 3 Years CE / RoHS: Yes

Physical Data

Base Colour: Matt white

Material: PCB

Construction: LED surface mounted on to strip



Product Specification Sheet

Partcode: ILSTWHIA003E / Page: 2

Physical Data

Length: 5m Width: 8mm

Weight (Unpackaged Single Unit): 124g

Strip Cut Points: 50mm

Electrical Data

Voltage Range: 12V

Power Consumption Per Meter: 6.0W/m

Driver included: No Electric Current: DC

Dimming: Dimmable with dimmable drivers and compatible dimmers

LVD Certified: Yes EN: EN-62031

Light Data

Lumens per Watt: 70.0lm/W Lumens per Meter: 425lm/M

LEDs per meter: 60/m Beam Angle: 115°

Correlated Colour Temperature (CCT): 3,000k

Colour Temperature: Warm White

Colour Type: Single

Colour Rendering Index (CRI): >=80

LED Type: Surface mounted device (SMD)

LED Size: 3528 Lifetime: 13,000 hrs



Product Specification Sheet

Partcode: ILSTWHIA003E / Page: 3

Environmental

Lowest Operating Temperature: -25 degrees Maximum Operating Temperature: 60 degrees

IP (Ingress Protection) Rating: IP33

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788220619

Packaged Weight (Unit of 1): 125g

Length (unit of 1): 205mm Width (unit of 1): 180mm Depth (unit of 1): 9mm

Outer packaging info available on website

Product data last updated on: Monday, August 7, 2017 - 14:34