

Outdoor LuxStone 8.5WW 4000K 335lm IP54*Partcode: ILDEA026 / Page: 1*

The Integral LED Outdoor range offers style and substance, with contemporary designs and hardwearing, weatherproof aluminium construction. This range of modern luminaires creates the perfect accent lighting for exterior walls in residential and commercial environments with all the low-energy and long-life benefits of LED.

The LuxStone is an attractive up/down wall light with a polycarbonate diffuser that gives a gentle wash of light to your wall. The dark grey, powder coated finish is both beautiful and rugged.

Product Details

Partcode: ILDEA026

Check Code: 530208

Range Name: Outdoor

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Optic: Polycarbonate diffuser

Material: Die cast aluminium body with powder coated finish

Physical Data

Width: 140mm

Depth: 45mm

Diameter: 88mm

Weight (Unpackaged Single Unit): 370g

Luminaire Fixing: Wall Mounted

Electrical Data

Voltage Range: 220-240V

Power Consumption: 8.5 Watts

Driver included: Yes

Electric Current: AC

Ampage: 350.00mA

Frequency Range: 50/60 Hz

Power Factor: ≥ 0.40

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-60598

Light Data

Lumens: 335lm

Lumens per Watt: 39.0lm/W

Beam Angle: 50°

Correlated Colour Temperature (CCT): 4,000k

Colour Temperature: Cool White

Colour Rendering Index (CRI): ≥ 80


LED Manufacturer: Edison

LED Type: Chip-on-board (COB)

Instant on - Less than 1 second: Yes

Switching Cycles: >12,500 X

Environmental



Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 50 degrees

IP (Ingress Protection) Rating: IP54

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788233275

Packaged Weight (Unit of 1): 399g

Length (unit of 1): 150mm

Width (unit of 1): 92mm

Depth (unit of 1): 52mm

Outer packaging info available on website

Product data last updated on: Tuesday, July 18, 2017 - 12:13